

ITCertTest



<p>Instant Update</p> <p>We are checking our exam questions all the time.</p> 	 <p>Security & Privacy</p>	 <p>24/7 customer support</p>
<p>Free Demo Download</p> <p>Try before you buy, Download a free sample of any of our exam questions and answers.</p> 	<p>One Year Free Update</p> <p>Free update is available within One Year after your purchase.</p> 	

<http://www.itcerttest.com>

IT exam study guide / simulations

Exam : **070-513-VB**

Title : Windows Communication
Foundation Development
with Microsoft VB.NET
Framework 4

Vendors : Microsoft

Version : DEMO

NO.1 You are moving a Windows Communication Foundation (WCF) service into production. You need to be able to monitor the health of the service. You only want to enable all performance counter instances exposed by the ServiceModelService 4.0.0.0 counter group. Which element should you add to the system.serviceModel section in the application configuration file?

- A. <diagnostics performanceCounters="ServiceOnly" />
- B. <diagnostics wmiProviderEnabled="true" performanceCounters="Off" />
- C. <diagnostics performanceCounters="All" />
- D. <diagnostics wmiProviderEnabled="true" />

Answer: A

NO.2 You create a Windows Communication Foundation (WCF) service and deploy it with wsHttpBinding and message security enabled. You create an intermediate WCF service for logging messages sent to the primary service. The intermediate service is called via the clientVia endpoint behavior. The primary service is receiving malformed data from a client application. You need to enable inspection of the malformed data and prevent message tampering. What should you do?

- A. Specify a protection level of None in the service contract for the intermediate service. Disable message and transport security from the client application configuration file.
- B. Specify a protection level of Sign in the service contract for the intermediate service. Disable transport security from the client application configuration file.
- C. Modify the binding on the intermediate service to use netNamedPipeBinding.
- D. Modify the binding on the intermediate service to use webHttpBinding.

Answer: B

NO.3 You are implementing a Windows Communication Foundation (WCF) service contract named IContosoService in a class named ContosoService. The service occasionally fails due to an exception being thrown at the service. You need to send the stack trace of any unhandled exceptions to clients as a fault message. What should you do?

- A. In the application configuration file on the client, add the following XML segment to the system.serviceModel/behaviors configuration section group.

```
<endpointBehaviors>  
<behavior name=" debug ">  
< callback Debug includeExceptionDetailInFaults="true" />  
</behavior>  
</endpointBehaviors>
```

Associate the debug behavior with any endpoints that need to return exception details.

- B. In the application configuration file on the service and all the clients, add the following XML

segment to the system.diagnostics/sources configuration section group.

```
<source name="System.ServiceModel" switchValue=" Error "  
propagateActivity="true">  
<listeners>
```

```
<add name="ServiceModelTraceListener" initializeData="app_tracelog.svclog"
type="System.Diagnostics.XmlWriterTraceListener" />
</listeners>
</source>
```

C. Apply the following attribute to the ContosoService class.

```
<ServiceBehavior(IncludeExceptionDetailInFaults:=True)>
```

D. For each OperationContract exposed by IContosoService , apply the following attribute.

```
<FaultContract(GetType(Exception))>
```

Answer: C